

# SAFETY DATA SHEET

## Section 1. Product Identification

<b>Product identifier</b>	Gypsum & Anhydrite Rock.
<b>Other means of identification</b>	
<b>SDS number</b>	ACG 2006
<b>Additional Products</b>	¼” Minus Ag Fines, 1/8” Ag Fines, Retarder Rock
<b>Synonyms</b>	Calcium Sulfate
<b>Recommended use</b>	Agricultural and Industrial Use.
<b>Recommended Restrictions</b>	Use in accordance with manufacturer’s recommendations.
<b>Manufacturer/Importer/Supplier/Distributor information</b>	
<b>Company name</b>	ACG Materials
<b>Address</b>	1550 Double Drive Norman, OK 73069
<b>Telephone</b>	1-800-624-5963
<b>Website</b>	www.ACGmaterials.com
<b>Emergency phone number</b>	1-800-624-5963

## Section 2. Hazard(s) Identification

**Emergency Overview** This product is not flammable, combustible, or explosive. It does not cause burns or severe skin or eye irritation. A single exposure will not result in serious adverse health effect. Prolonged contact with the product may result in abrasions to the skin or irritation of the eyes. Prolonged inhalation of the dust may irritate the respiratory tract.

**Physical hazards** Not classified

**Health Hazards** Not classified

**Acute:**

**Eyes** May cause mechanical irritation of eyes. If burning, redness, itching, pain or other symptoms persist or develop, consult physician. Eye irritation Category 2, subcategory 2B.

**Skin** Prolonged contact with the skin may cause irritation. Rubbing of this product against the skin can result in abrasion. Rinse with water until free of material to avoid abrasion, wash skin thoroughly with mild soap and water. May dry skin. Mild skin irritation Category B.

**Inhalation** Inhalation of dusts from this product may irritate the nose, throat, lungs, and upper respiratory tract. Persons exposed to large amounts of this dust may be forced to leave area because of nuisance conditions such as coughing, sneezing, and nasal irritation. Labored breathing may occur after excessive inhalation. If respiratory symptoms persist, consult physician.

**Chronic:**

**Inhalation** Gypsum & Anhydrite Rock display no specific toxic properties. Prolonged and repeated exposure to respirable crystalline silica can result in lung disease (i.e. silicosis) and lung cancer. Silicosis increases the risk of tuberculosis. Studies have shown various autoimmune and chronic kidney diseases in workers exposed to respirable crystalline silica. Some studies show and increased incidence of chronic bronchitis and emphysema in workers exposed to crystalline silica.

**Environmental hazards** Not Classified  
**OSHA defined hazards** Not Classified

**Label elements**



**Signal word**

Danger

**Hazard statement**

Causes eye and skin irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Precautionary statement**



**Precautions for safe handling** Avoid contact with skin and eyes. Do not breathe dust. Use only in well ventilated areas. A NIOSH approved dust mask or filtering face piece is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. When using, do not eat or drink. Wash hands before eating, drinking or smoking.

**Conditions for safe storage, including an incompatibilities** Store in a cool dry well ventilated area.

### Section 8. Exposure Controls/Personal Protection

**Occupational exposure limits**  
**US. OSHA table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

Components	Type	Value	Form
Gypsum, Anhydrite or Gypsum/Anhydrite Blend	PEL	15 mg/m <sup>3</sup>	Respirable.
Crystalline Silica	TWA	5 mg/m <sup>3</sup>	Respirable.

**US. ACGIH Threshold Limit Values**

Components	Type	Value	Form
Gypsum, Anhydrite or Gypsum/Anhydrite Blend	TWA	5 mg/m <sup>3</sup>	Inhalable fraction.
Crystalline Silica	TWA	0.025 mg/m <sup>3</sup>	Respirable.

**US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Type	Value	Form
Gypsum, Anhydrite or Gypsum/Anhydrite Blend	TWA	10 mg/m <sup>3</sup>	Respirable
Crystalline Silica	TWA	0.05 mg/m <sup>3</sup>	Respirable

**Engineering Controls** Ventilate to keep exposures below TLV requirements of the individual ingredients. General ventilation is expected to be satisfactory. Use local exhaust ventilation if necessary to control dust.

**Respiratory protection** one required where adequate ventilation conditions exist. A NIOSH approved dust mask or filtering face piece is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Consult with respirator manufacturer to determine respirator selection, use, and limitations.

### Section 9. Physical and Chemical Properties

<b>Appearance</b>	White
<b>Physical state</b>	Powder/Solid
<b>Melting Point</b>	Not applicable.
<b>Freezing Point</b>	Not applicable.
<b>Odor</b>	Low
<b>Odor threshold</b>	Not determined.
<b>Flash point</b>	Non-combustible.
<b>Flammability limits</b>	Not applicable.
<b>Solubility (in water) (g/100g)</b>	<0.4
<b>Initial boiling point</b>	Not applicable
<b>Boiling Range</b>	Not applicable.
<b>Specific gravity</b>	2.3-2.7
<b>pH</b>	Not applicable
<b>Vapor pressure</b>	Not applicable.
<b>Vapor density</b>	Not applicable.
<b>Auto-ignition temperature</b>	None.
<b>Evaporation rate</b>	Not applicable.
<b>Viscosity</b>	Not applicable.
<b>Upper flammability limit</b>	Not determined.

**Lower flammability limit** Not determined.  
**Decomposition temp** Not applicable.

### Section 10. Chemical Stability and Reactivity

**Conditions of reactivity** Reacts with water and produces large amounts of heat (normal condition of use).  
**Chemical stability** Stable at normal storage conditions and temperature.  
**Conditions to avoid** Not applicable.  
**Hazardous decomposition products** Not applicable.  
**Hazardous polymerization** Will not occur

### Section 11. Toxicological Information

**Information on likely routes of exposure**  
**Acute effects** No known acute toxicological effects  
**Chronic effects** Crystalline silica: Exposures to respirable crystalline silica are not expected during the normal use of this product; however, levels must be determined by in-house workplace hygiene testing.

### Section 12. Ecological Information

**Ecotoxicity** The material shows no bioaccumulation or food chain concentration toxicity potential.

### Section 13 Disposal Considerations

**Disposal procedure** Dispose of product and packaging material in accordance with all applicable federal, state, and local regulation. Can be disposed as an inert solid in a landfill. Slurry may plug drains. Do not dispose of directly in waterways or sewers. Recycle responsibly.

### Section 14. Transport Information

**Department of Transportation (DOT) Requirements** This product is not regulated as a hazardous material by the United States (DOT) transportation regulations.  
**Canadian Transportation of dangerous goods** Not regulated as dangerous goods.  
**UN#** None, Not regulated as dangerous goods.  
**ADNR** None.  
**RID/ADR:** Not classified.  
**Environmental hazards** None.  
**Annex II of MARPOL 73/78** Not applicable  
**International bulk chemical code** Not applicable

### Section 15 Regulatory Information

**U.S. EPA's Toxic Substance Control Act Chemical Substance Inventory** Not listed as reportable quantity or regulated quantity in SARA Title III Sections 302, 304, and 313. CAA Section 112® Regulated Chemicals for Accidental Release Prevention, CERLA Hazardous Substances, and RCRA Hazardous Waste.  
**Canadian Controlled Product Regulations** Crystalline Silica: IDL\* Item #1406 Classification: D2A.  
**European Union Directive 67/548/EEC (Annex III and IV)** R36, R37, R38, S37, S3, S39, and S51.

\*IDL Item: Canadian Hazardous Product Act Ingredient Disclosure List

**Section 16 Other Information**


**16. Other Information, including date of preparation or last revision**

Issue date 11-April 2016  
Version # 04

**Further information** NFPA Ratings  
Health: 1  
Flammability: 0  
Physical hazard: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

NFPA ratings



Disclaimer

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.